EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	"605995".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:47
S2	192883	(vary vari$6) near5 (clock frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:48
S3	14746	(vary vari$6) near5 (clock frequency) near5 operat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:49
S4	195	S3 same (cpu gpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:50
S5	59	S4 same (mode$1 state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:49
S6	1209	(vary vari$6) near5 (clock frequency) near5 range$1 near5 operat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:30
S7	3	S6 same (cpu gpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:31
S8	13531	(vary vari$6) near5 (clock frequency) near5 range$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:21
S9	52	S8 same (cpu gpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 15:52
S10	45	S9 and (@rlad<="20030814" @ad<="20030814" @pd<="20030814")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:31
S11	6	("5490059" | "5502838" | "5752011" | "5774704" | "5781768" | "6141762").PN.	US-PGPUB; USPAT; USOCR.	OR	OFF	2006/05/25 15:55
S12	10	("6397343").URPN.	USPAT	OR	OFF	2006/05/25 15:56
S13	15	("6076171").URPN.	USPAT	OR	OFF	2006/05/25 16:05
S14	18	(vary vari$6) near5 (clock frequency) near5 range$1 near5 percentage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:21
S15	16	S14 and (@rlad<="20030814" @ad<="20030814" @pd<="20030814")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:21
S16	15	("6076171").URPN.	USPAT	OR	OFF	2006/05/25 16:27
S17	1195	(power near4 (mode$1 state$1)) same (clock frequency) near5 range$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:45
S18	18	S17 same (cpu gpu)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:31
S19	64	S17 same (cpu gpu processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/25 16:46

5/30/06 4:32:01 PM

Page 1

C:\Documents and Settings\JTrujillo\My Documents\EAST\workspaces\10605995 - Dynamically adjust operating frequency with range.wsp

S20	61	S19 and (@rlad<="20030814" @ad<="20030814" @pd<="20030814")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/30 13:39
S21	5772	(clock frequency) near5 range$1 near5 adjust$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:45
S22	18655	(clock frequency) near5 range$1 near5 (adjust$6 vari$5 vary$3 programmable)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:56
S23	423	S22 same (cpu gpu processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:47
S24	840	(clock frequency) near5 range$1 near5 (adjust$6 vari$5 vary$3 programmable) near10 about	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:47
S25	870	(clock frequency) near5 range$1 near5 (adjust$6 vari$5 vary$3 programmable) near10 (about percentage)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:50
S26	4	S25 same (cpu gpu processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:50
S27	879	(clock frequency) near5 range$1 near5 (adjust$6 vari$5 vary$3 programmable) near10 (about percentage "%")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 12:59
S28	4	S27 same (cpu gpu processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:50
S29	1703	(clock frequency) near10 range$1 near10 (adjust$6 vari$5 vary$3 programmable) near10 set$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/25 16:56
S30	6	horden.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 10:45
S31	36	("5812860").URPN.	USPAT	OR	OFF	2006/05/25 17:15
S32	2	"382723".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 11:25
S33	0	"5903894".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 11:25
S34	2	"5903894".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 11:30
S35	4	"367067".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 11:32
S36	7	"382427".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 12:08
S37	4	US-5307497-$.DID. OR US-6539456-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 12:08
S38	6	("6539456").URPN.	USPAT	OR	OFF	2006/05/26 12:28

5/30/06 4:32:01 PM

Page 2

C:\Documents and Settings\JTrujillo\My Documents\EAST\workspaces\10605995 - Dynamically adjust operating frequency with range.wsp

S39	359	user near5 select$3 near5 (frequency clock) same interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:28
S40	188	user near5 select$3 near5 (frequency clock) same (user adj1 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:03
S41	66	S40 and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:29
S42	14	("5640176").URPN.	USPAT	OR	OFF	2006/05/26 12:31
S43	3	("5903254").URPN.	USPAT	OR	OFF	2006/05/26 12:32
S44	5	("4698624" | "5079624" | "5204969" | "5230074" | "5367626").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 12:33
S45	50	select$3 near5 (frequency clock) near5 operat$3 same (user adj1 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:34
S46	6	("4763117" | "4972138" | "5081592" | "5592390" | "6262728" | "6327544").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 12:36
S47	3	("6407756").URPN.	USPAT	OR	OFF	2006/05/26 12:36
S48	925	(clock frequency) near5 range$1 near5 (adjust$6 vari$5 vary$3 programmable) near10 (about percent$3 "%")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:01
S49	31	S48 and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:12
S50	15	(clock frequency) near5 range$1 near5 (adjust$6 vari$5 vary$3 programmable) same (gui (user adj1 interface$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:04
S51	2860	(operat$3 near5 parameter$1) same (user adj1 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:03
S52	644	(set$4 or adjust$3) near5 (operat$3 near5 parameter$1) same (user adj1 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:04
S53	738	(set$4 or adjust$3) near5 (operat$3 near5 parameter$1) same (gui (user adj1 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:11
S54	31	S53 same (clock$3 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:07
S55	1770	variation near5 operat$5 near5 (frequency clock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:07
S56	158	S55 near5 range$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:07
S57	32	S56 same (set$4 or adjust$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:08
S58	22991	(set$4 or adjust$3) near5 (operat$3) near5 display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:26

5/30/06 4:32:01 PM

Page 3

C:\Documents and Settings\JTrujillo\My Documents\EAST\workspaces\10605995 - Dynamically adjust operating frequency with range.wsp

S59	1162	S58 same (frequency clock$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:10
S60	3869	(set$4 or adjust$3) near5 (frequency clock) near5 display$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:12
S61	42	S60 same (gui (user adj1 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:12
S62	244484	(set$4 or adjust$3) near5 (frequency clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/30 10:14
S63	694	S62 same (gui (user adj1 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:28
S64	239	S63 and g06f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:17
S65	0	S63 and g09f$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:17
S66	39	S63 and g09g$.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:17
S67	5	("4698624" | "5079624" | "5204969" | "5230074" | "5367626").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/26 13:18
S68	14	("5640176").URPN.	USPAT	OR	OFF	2006/05/26 13:26
S69	9175	(set$4 or adjust$3 select$5) near5 (clock$3 frequency) near5 (user operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:28
S70	378	S69 same (gui (user adj1 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:28
S71	1781	(set$4 or adjust$3 select$5) near5 (clock$3 frequency) near5 operat$5 near5 (user operator)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:28
S72	49	S71 same (gui (user adj1 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/26 13:28
S73	14	("5640176").URPN.	USPAT	OR	OFF	2006/05/26 13:29

5/30/06 4:32:01 PM

C:\Documents and Settings\JTrujillo\My Documents\EAST\workspaces\10605995 - Dynamically adjust operating frequency with range.wsp

Page 4